

News and progress

Elin Súsanna Jacobsen

Rúsdrekka – siðir og ósiðir

Ph.d.ritgerð í søgu á Aarhus Universitet. Ph.d. dissertation from Historical Department, University of Aarhus. Denmark

Føroya Fróðskaparfelag, Supplementum XX, Tórshavn 1995. ISBN 99918-41-20-2

Rúsdrekka – siðir og ósiðir er ein lýsing av, hvønn týðning rúsdrekka hevur havt í Føroyum í mentanarligum, samfelagsligum og handilsligum høpi, serliga síðan miðju 19. øld og fram til okkara tíð.

Heimildartilfarið er lögtingstíðindi, bløð, tíðarrit, hagtøl, skjøl og innsavningartilfar um føroyska fólkamentan; úrslit av skipaðum kanningum um rúsdrekkánýtslu. Rúsdrekkasiðir eru harumframt lýstir út frá siðsøguligum tilfari, fagurbókmentum og samrøðum við uml. 30 fólk í ymsum aldri.

Greitt er frá fyrimyndum og valmøguleikum, ið føroyingar hava havt, tá ið lóggevast skuldi um rúsdrekkasølu, heruppi í tí luti, sum ymsir fráhaldsfelagsskapir hava havt í rúsdrekkapolitikki.

Heildarnýtslan av rúsdrekka í Føroyum tykist hava gingið upp og niður: Eftir rættiliga bráðan vøkstur um miðju 19. øld vísa atkomilig hagtøl minking fyrri og eftir aldarskiftið, og síðan var heildarnýtslan eftir innflutningstølum at døma rættiliga óbroytt heilt fram til 1960árin, tá ið hon aftur fór at vaksa.

Flestu heimildir eru samdar um, at fyrr í hesi øldini var »góðtikin« rúsdrekkánýtsla

The aim of this reatise is to examine and describe the part played by alcohol in Faroese society, especially from the middle of the 19th century to the present day.

The study is based on written sources, in which the public debate figures, statistics etc. as well as literature describing Faroese traditional life, supplemented by some 30 interviews. The collection of material was based on the principle that there is interaction between possibilities and limitations set by variations in the market supplies, measures to regulate consumption, ideological trends and living conditions, and that these factors influence habits, standards and attitudes to alcohol, and can thus be seen as a cultural process.

In the previous century, an increasing and excessive consumption of alcohol was seen as a widespread problem, calling for measures to regulate the sales of alcohol, voiced especially by the temperance societies. The outcome of a prolonged debate was an act according to which all local trade of alcohol was dependent on the support of 25% of all men and women aged over 25 in the district. The result of a

meira tíðarbundin enn nøgdarbundin: rúsdrekka var avmarkað til vertskap, høg tíðir og siðbundin gildi, sum fylgdu arbeiðsárinum í búnaðarsamfelagnum.

Tað er framvegis sjálvsfatan føroyinga, at teir drekka sjáldan, men nógv í senn. Alla hesa øldini hevur verið ført fram, at lógarbannið fyri rúsdrekkahandli í Føroyum hevur elvt til hetta drykkjumynstur, sum tó eisini tykist at hava verið galdandi í eldri tíðum. – Umframt tað hava vit í Føroyum havt upp á seg nógv fráhaldsfólk, men hesin partur hevur verið minkandi tey seinastu ártíggjuni.

Gongdin tey seinastu árinum hevur verið, at drykkju- og vertskapssiðir líkjast meira teimum í grannalondunum enn tí, sum var vanligt fyrr í hesi øldini. Hetta skiftið fellur saman við skiftinum til ídnaðarsamfelag og tí harav fylgjandi spjaðingini í arbeiðsbýti og kunnleikakrøvum. – Høvini at drekka eru vordin fleiri og margfaldari, úrvalið av drekkasløgum størri, og harvið móguleikarnir at nýta sínar drykkjuvanar sum symbol fyri lívsstíl og samleika. Á tann hátt endurspeglar rúsdrekkasiðirnir økt fjølbroytni í lívsumstøðum og lívslag.

plebescite in November 1907 showed that in no island there was sufficient support to permit the sale or serving of alcohol, and right up to 1992 this main principle of prohibiting any local trade with alcohol has been valid in Faroese legislation.

The increase in alcohol consumption, which seems to have peaked in the 1860s, was followed by a marked decrease, especially around the turn of the century. Import statistics show that the mean consumption has been stable and relatively low in the Faroe Islands from the beginning of this century and right up to the 1960s.

Both written and oral sources agree that in the old times the consumption of alcohol was confined to a few annual celebrations. Although after the turn of the century agriculture had lost its importance as the main industry and was replaced by deep-sea fishing, there was no change in the annual cycle of festivities and the rhythm of (heavy) drinking.

Since the Second World War the Faroese society has experienced great changes towards industrialisation and modernisation. The rate at which modernisation affects society varies, even in a small society like that of the Faroe Islands. In recent times we have witnessed an increased division of labour and hence the need for a wider range of qualifications.

Differentiation of economic circumstances and ways of life are reflected in differentiation in drinking habits, which may be viewed as personal markers of identity. Since the 1960s the import figures have shown a continuous increase in the average consumption of alcohol, and the variation

in Faroese drinking habits is considerably greater than it appears to have been before and immediately after the Second World War. A better understanding of standards and attitudes to alcohol is obtained by setting them in a wider context of changing economic, social and cultural conditions in the period under review.

August G. Wang

Suicidal behaviour in a low-incidence population.

A Study of the Faroe Islanders

Doktararitgerð frá Psykiatrisku deild, Odense Universitetshospitali og Psykiatrisku deild, Landssjúkrahúsinum, Tórshavn. Doctoral Dissertation from Department of Psychiatry, Odense University Hospital, Denmark and Dep. of Psychiatry, General Hospital, Tórshavn, Faroe Islands.

Føroya Fróðskaparfelag, Supplementum XXI, Tórshavn 1996. ISBN 99918-41-21-0

Í sekstiárunum var eins og ein bylgja av sjálmorðsatferð í vesturheiminum. Bæði sjálmorðsroyndir og sjálmorð øktust í tali. Henda bylgjan helt á til fram í áttati-árini, er síðan linkað nakað. Flestu kanningar av hesum fyribrigdi eru gjørdar í stórum býarøkjum í útheiminum og serliga har slík atferð hevur verið meira vanlig.

Føroyar hava verið roknaðar sum eitt lágsjálmorðsøki. Tó hava granskaðar gjørt vart við, at fleiri sjálmorð vóru í sjevtiárunum, soleiðis at hendan vesturlenska bylgjan kanska var komin higar.

Ritgerðin snýr seg bæði um sjálmorðsroyndir og sjálmorð umframt at onnur hugtøk, so sum euthanasi (samkennsludráp) verða umrødd. Søguligt yvirlit um sjálmorðsatferð í vesturheiminum, norðanlondum og Føroyum er inngangur til kanningarnar. Sjálvar kanningarnar eru ætlaðar at lýsa slíka atferð í eini broyting-

From the sixties a wave of suicidal behaviour was recognized in the western world. Both suicide and attempted suicide was increasing. Most studies of this phenomena have been performed in cities.

Faroe Islands are a group of islands in North Atlantic with only 45.000 inhabitants. The islands have been considered a low-incidence area on suicidal behaviour. However, in the seventies, the suicidal wave seemed to have reached this outpost of european culture.

The present study comprises both suicide and attempted suicide and the aim is to elucidate suicidal behaviour on the islands as such in a period of increase both also to add to our knowledge about suicidal behaviour in general.

Attempted suicide has been studied 1960-82 and for this form of suicidal be-

artíð, men samstundis at ríka sjálmorðsgranskingina sum heild við tilfari úr Føroyum sum eitt lágsjálmorðsøki.

Sjálmorðsroyndir eru kannaðar 1960-82 og síðan eisini gjørd eftirkanning eftir sjálmorðsroyndir 1960-84.

Sjálmorð eru kannaði 1945-1982.

Í øllum førum er fyrst umfatandi umrøða av kanningarhættum og teirra dygd.

Úrslitini vísa, at Føroyar hava verið eitt lágsjálmorðsøki í mong ár. Hinvegin, at í 1970-unum er ein vøkstur í talinum av árligum sjálmorðsroyndum og sjálmorðum, og at gongdin í báðum førum er eins, meðan hesi báðir tættir innan sjálmorðsatferð eru rættuliga ymiskir í eyðkennum annars. So gott sum øll eyðkenni, sum eru funnin í Europa annars, ganga aftur í Føroyum, og sannast má, at tá ein finnur hesi eyðkenni enntá í útjaðaranum á Europu, má hugsast, at hetta eru rættuliga ítøkilig og grundleggjandi eyðkenni fyri slíka atferð.

Títtleikin- incidensurin – er í Føroyum, eisini eftir vøksturin í 1970-unum, lágur. Fyri sjálmorðsroyndir um 40 árliga fyri hvørjar 100.000 íbúgvar. Og fyri sjálmorð um 7 árliga fyri hvørjar 100.000 íbúgvar. Eisini er áhugavert, at afturfal til sjálmorðsatferð eftir sjálmorðsroynd er so sjáldsamt og hjá teimum flestu bert innan fyri 3-4 ár.

Úrslitini kunnu vera ein partur av lýsing av sjálmorðsatferð í Europu sum heild og nýtast til tilvísing sum eitt lágsjálmorðsøki.

Eisini verður tikið við tað neyðuga í at viðurkenna hesi viðurskifti og her heima at seta tiltøk í verk samfelagsliga og viðgerðarlíga, sum kunnu verða fyribyrgjandi.

haviour a follow-up study has been performed.

Suicide has been studied 1945-82.

For all parts of the study, there are extensive discussions about the methods employed and their validity.

The results indicate, that the Faroes have indeed been a low-incidence area for many years. However, in the seventies, there is an increase in both attempted suicide and suicide. The increase is parallel, but otherwise characteristics for these forms of suicidal behaviour are rather different. Same characteristics, that have been observed in Europe, are by and large found on the Faroes. To find such collective characteristics in this fringe of Europe can indicate, that they must be considered rather robust parts of these forms of behaviour.

Incidence is, even after some increase, rather low on the Faroes. Attempted suicide about 40 pr.100.000 pr.year and suicide about 7 pr. 100.000 pr. year. Interesting is the observation, that relapse behaviour for attempted suicide also is on a low level and for the majority lasting mostly about 3-4 years.

Results from these studies can serve as indications about basal parts of European suicidal behaviour and as such as a reference study for studies in high-incidence areas.

It is concluded, that recognition of these forms of behaviour is necessary. Some preventive measures are needed on a sociological level as well as on clinical level.